


Stopband Attenuation


Tubular Bandpass Filters

Expressed as number of 3 dB Bandwidths from Center Frequency

5 to 15% 3dB Bandwidth
(Percentage of Center Frequency)





15 to 45% 3 dB Bandwidth
(Percentage of Center Frequency)



Stopband Attenuation

Cavity, Comb and Interdigital Bandpass Filters Expressed as number of 3 dB Bandwidths from Center Frequency




RLC ELECTRONICS, INC.

83 Radio Circle, Mount Kisco, New York 10549 • Telephone: 914-241-1334 • Fax: 914-241-1753
e-mail: sales@rlcelectronics.com • www.rlcelectronics.com

Stopband Attenuation


Miniature Bandpass Filters

Expressed as number of 3 dB Bandwidths from Center Frequency




**2-6% 3 dB Bandwidth
(Percentage of Center Frequency)**

**Number of 3dB Bandwidths
from Center Frequency
2 to 8 Sections**



**6-18% 3 dB Bandwidth
(Percentage of Center Frequency)**

**Number of 3dB Bandwidths
from Center Frequency
2 to 8 Sections**



**18-54% 3 dB Bandwidth
(Percentage of Center Frequency)**

**Number of 3 dB Bandwidths
from Center Frequency
2 to 8 Sections**



RLC ELECTRONICS, INC.

83 Radio Circle, Mount Kisco, New York 10549 • Telephone: 914-241-1334 • Fax: 914-241-1753
e-mail: sales@rlcelectronics.com • www.rlcelectronics.com